



START-UP, CARE AND MAINTENANCE INSTRUCTIONS **EURO-FLECK POOLS**

- 1.) Clean pool/spa filter.
- 2.) Dissolve 5 to 10 pounds of conditioner (Depending on the size of your pool/spa) and deliver it through the skimmer. Conditioner dissolves best in warm water.
- 3.) Add chlorine. The use of three-inch tabs in a floater introduces the chlorine slowly. Maintain with liquid and a few tabs. Most tabs contain acid and will lower your pH.
- 4.) After five days, adjust water chemistry (See chart below).
- 5.) Use "Sea-Klear" by Vanson (888) 282-6766, 4 in 1 clarifier every other week for a brighter pool/spa.
- 6.) Do not use any type of stain remover on the finished surface.

It is very important to keep your pool/spa water balanced. We at Pool Surfacing 2000, Inc. are not water chemistry experts. Please consult your Pool Service Professional for all of your water chemistry needs. If you would like us to refer a Pool Tech, please give us a call at (858) 273-9398.

CHEMICALS	LIMITS	STANDARDS
CONDITIONER	40 – 100 PPM	60 PPM
CHLORINE (WINTER)	1.0 – 1.5 PPM	1.0 PPM
CHLORINE (SUMMER)	1.5 – 3.0 PPM	2.0 PPM
pH	7.4 – 7.8 PPM	7.6 PPM
ALKALINITY	100 – 150 PPM	120 PPM

After your pool/spa has been in operation for several days, take a sample of the water to a local pool store with water testing capability or call your Pool Tech. Have the water analyzed for the four chemicals listed above. Add the appropriate chemicals needed to balance the water.

Remember, your new surface is **INERT**. When adding chemicals to the pool/spa you are treating the water, not the surface. If algae appear on your **Euro-Fleck** surface, it is because your water is not properly balanced. Once the algae are killed and the water is balanced, you can brush it away. **Please note** chlorine attacks all foreign matter in the water and then dissipates. After storms, hot weather, or high use, it may be necessary to shock the pool/spa (Add twice the amount of chlorine) to kill foreign matter and keep chlorine level in the proper range.

Revised 08/21/03